
U.S. Greenhouse Gas Emissions

Identification

1. Indicator Description

This indicator describes emissions of greenhouse gases (GHGs) in the United States and its territories between 1990 and 2022. It reports emissions and removals of GHGs in carbon dioxide (CO₂) equivalent units using 100-year global warming potential values from the Intergovernmental Panel on Climate Change's (IPCC's) Fifth Assessment Report (IPCC, 2013). Global warming potential is a measure of how much a given amount of the GHG is estimated to contribute to global warming over a selected period of time. For the purposes of comparison, global warming potential values are given in relation to CO₂ and are expressed in terms of CO₂ equivalents. This indicator is highly relevant to climate change because greenhouse gases from human activities are the primary driver of observed climate change since the mid-20th century (IPCC, 2021).

Components of this indicator include:

- U.S. GHG emissions by gas (Figure 1).
- U.S. GHG emissions and sinks by economic sector (Figure 2).
- U.S. GHG emissions per capita and per dollar of gross domestic product (GDP) (Figure 3).

2. Revision History

April 2010:	Indicator published.
December 2012:	Updated indicator with data through 2010.
August 2013:	Updated indicator with data through 2011.
May 2014:	Updated indicator with data through 2012.
June 2015:	Updated indicator with data through 2013.
August 2016:	Updated indicator with data through 2014.
April 2021:	Updated indicator with data through 2019.
July 2022:	Updated indicator with data through 2020.
November 2023:	Updated indicator with data through 2021.
June 2024:	Updated indicator with data through 2022.

Data Sources

3. Data Sources

This indicator uses data and analysis from EPA's *Inventory of U.S. Greenhouse Gas Emissions and Sinks* (U.S. EPA, 2024), an assessment of the anthropogenic sources and sinks of GHGs for the United States and its territories for the period from 1990 to 2022.

4. Data Availability

The complete U.S. GHG inventory is published annually, and the version used to prepare this indicator is publicly available at: www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks (U.S. EPA, 2024). The figures in this indicator are taken from the following figures and tables in the inventory report:

- Figure 1 (emissions by gas): Figure ES-1/Table ES-2/Table 2-1.
- Figure 2 (emissions by economic sector): Figure ES-14/Table ES-5/Table 2-10.
- Figure 3 (emissions per capita and per dollar GDP): Figure ES-16/Table ES-7/Table 2-14.

The *Inventory* report itself does not present data for the years 1991–2004 or 2006–2017 due to page space constraints; however, time series data including these years can be obtained by downloading the electronic or CSV versions of report data tables by chapter (www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2022) or by contacting EPA’s Climate Change Division (www.epa.gov/ghgemissions/forms/contact-us-about-greenhouse-gas-emissions).

Figure 3 includes trends in population and real GDP. EPA obtained publicly available population data from the U.S. Census Bureau’s International Data Base at: www.census.gov/programs-surveys/international-programs/about/idb.html. EPA obtained GDP data from the U.S. Department of Commerce, Bureau of Economic Analysis. These data are publicly available from the Bureau of Economic Analysis website at: www.bea.gov/data/gdp/gross-domestic-product#gdp.

Methodology

5. Data Collection

This indicator uses data directly from the *Inventory of U.S. Greenhouse Gas Emissions and Sinks* (U.S. EPA, 2024). The *Inventory* presents estimates of emissions derived from direct measurements, aggregated national statistics, and validated models. Specifically, this indicator focuses on the long-lived greenhouse gases currently covered by agreements under the United Nations Framework Convention on Climate Change (UNFCCC) and the Paris Agreement. These compounds are CO₂, methane (CH₄), nitrous oxide (N₂O), selected hydrofluorocarbons (HFCs), selected perfluorocarbons (PFCs), sulfur hexafluoride (SF₆), and nitrogen trifluoride (NF₃).

The emissions and source activity data used to derive the emissions estimates are described thoroughly in EPA’s *Inventory* report. The estimates apply methods from the IPCC’s GHG inventory guidelines (www.ipcc-nggip.iges.or.jp/public/2006gl/index.html) (IPCC, 2006) and its supplements and refinements.

The U.S. GHG inventory provides a thorough assessment of the anthropogenic emissions by sources and removals by sinks of GHGs for the United States from 1990 to 2022. Although the inventory is intended to be comprehensive, some smaller identified sources and sinks have been excluded from the estimates (e.g., limited chemical industry processes). Sources are excluded from the inventory for various reasons, including data limitations. The United States is continually working to improve understanding of such sources and seeking the data needed to estimate and include related emissions and sinks. As such

improvements are made, new emissions sources are quantified and included in the inventory. For a complete list of excluded sources, see Annex 5 of the U.S. GHG *Inventory* report (U.S. EPA, 2024).

Figure 3 of this indicator compares emissions trends with trends in population and U.S. GDP. Population data were collected by the U.S. Census Bureau. For this indicator, EPA used midyear estimates of the total U.S. population. GDP data were collected by the U.S. Department of Commerce, Bureau of Economic Analysis. For this indicator, EPA used real GDP in chained 2017 dollars, which means the numbers have been adjusted for inflation. See: www.census.gov/programs-surveys/international-programs/about/idb.html for the methods used to determine midyear population estimates for the United States. See: www.bea.gov/methodologies/index.htm#national_meth for the methods used to determine GDP.

6. Indicator Derivation

The *Inventory of U.S. Greenhouse Gas Emissions and Sinks* (U.S. EPA, 2024) is compiled following internationally accepted methods described in IPCC's *Guidelines for National Greenhouse Gas Inventories* (IPCC, 2006) and, where appropriate, its supplements and refinements. The *Inventory* emissions and removals are presented in a common format in line with the reporting guidelines for the national reporting of inventories under the UNFCCC and the Paris Agreement. EPA's annual *Inventory* reports and IPCC's inventory development methodological guidelines have been extensively peer reviewed and are widely viewed as providing scientifically sound representations of GHG emissions. EPA's report is available at: www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks.

The *Inventory* report provides a complete description of methods and data sources used by EPA to calculate GHG emissions for all emission and sink categories. Further information on the inventory design can be obtained by contacting EPA's Climate Change Division (www.epa.gov/ghgemissions/forms/contact-us-about-greenhouse-gas-emissions).

The *Inventory* covers U.S. GHG data for the years 1990 to 2022, and does not project data forward or backward from this time window. The Data Highlights published with the final *Inventory* report includes a preliminary outlook on 2023 GHG trends for the energy sector (www.epa.gov/ghgemissions/data-highlights).

This indicator reports trends exactly as they appear in EPA's GHG *Inventory* (U.S. EPA, 2024). The indicator presents emissions data in units of million metric tons of CO₂ equivalents, the agreed-upon unit used in GHG inventories prepared worldwide, because it adjusts for the various global warming potentials (GWPs) of different gases. The indicator now uses the 100-year GWPs documented in the IPCC's Fifth Assessment Report (AR5) (IPCC, 2013). EPA uses these GWP values for the reporting of aggregated CO₂ equivalent emissions in the GHG inventory for consistency with international reporting requirements under the UNFCCC and the Paris Agreement. Use of AR5 GWP values ensures the comparability of inventory estimates across countries that are parties to the UNFCCC. The U.S. *Inventory* (U.S. EPA, 2024) also includes unweighted estimates in kilotons (see Table 2-2 of the Trends chapter) and stakeholders/researchers can use and have used these values to apply other metrics. Further, Chapter 1 (Box 1-2) and Annex 6 of the *Inventory* report includes information on effects to inventory estimates in shifting to AR6 100-year GWPs. Section 6.1 of Annex 6 of the *Inventory* includes extensive information on GWPs and how they relate to emissions estimates (U.S. EPA, 2024).

Figure 1. U.S. Greenhouse Gas Emissions by Gas, 1990–2022

EPA plotted total emissions for each gas, not including the influence of sinks, which would be difficult to interpret in a breakdown by gas. EPA combined the emissions of HFCs, PFCs, SF₆, and NF₃ into a single category so the magnitude of these emissions would be visible in the graph.

Figure 2. U.S. Greenhouse Gas Emissions and Sinks by Economic Sector, 1990–2022

EPA converted a line graph in the original *Inventory* report (U.S. EPA, 2024) into a stacked area graph showing emissions by economic sector. U.S. territories are treated as a separate sector in the inventory report, and because territories are not an economic sector in the truest sense of the word, they have been excluded from this part of the indicator. Unlike Figure 1, Figure 2 includes sinks below the x-axis. The section below the x-axis represents the entire contribution of the land use, land-use change, and forestry sector, which includes a relatively small amount of emissions that is outweighed by a much larger sink.

Figure 3. U.S. Greenhouse Gas Emissions per Capita and per Dollar of GDP, 1990–2022

EPA determined emissions per capita and emissions per unit of real GDP using simple division. In order to show all four trends (population, GDP, emissions per capita, and emissions per unit GDP) on the same scale, EPA normalized each trend to an index value of 100 for the year 1990.

7. Quality Assurance and Quality Control

Quality assurance and quality control (QA/QC) have always been an integral part of the U.S. national system for inventory development. EPA and its partner agencies have implemented a systematic approach to QA/QC for the annual U.S. GHG inventory, following procedures that have been formalized in accordance with a QA/QC plan and the UNFCCC reporting guidelines. Those interested in documentation of the various QA/QC procedures should send such queries to EPA's Climate Change Division (www.epa.gov/ghgemissions/forms/contact-us-about-greenhouse-gas-emissions).

Analysis

8. Comparability Over Time and Space

The U.S. GHG emissions data presented in this indicator are comparable over time and space, and the purpose of the inventory is to allow tracking of annual emissions and sinks over time. When methodological changes have been implemented, the previous *Inventory's* time series (i.e., 1990 to 2021) is assessed and recalculated to reflect updates, per guidance in IPCC (2006), and to ensure the time series is consistent and reflects real trends. The emissions trend is defined in EPA's *Inventory* as the percentage change in emissions (or removal) estimated for the current year, relative to the emissions (or removal) estimated for the base year (i.e., 1990) inventory estimates. In addition to the estimates of uncertainty associated with the current year's emissions estimates, Annex 7 of the *Inventory* report also presents quantitative estimates of trend uncertainty. As EPA and its sources continue to refine their emissions inventory methodologies, prior years' emissions are re-estimated accordingly, so they always reflect consistent methods. These changes sometimes result in noticeable increases or decreases between different editions of the *Inventory*.

9. Data Limitations

Factors that may impact the confidence, application, or conclusions drawn from this indicator are as follows:

This indicator does not yet include emissions of GHGs or other radiatively important substances that are not explicitly covered under the UNFCCC and the Paris Agreement. Thus, it excludes gases such as those controlled by the Montreal Protocol and its Amendments, including chlorofluorocarbons and hydrochlorofluorocarbons. Although the United States reports the emissions of these substances as part of the U.S. GHG inventory, as shown in section 6.2 of Annex 6 of U.S. EPA (2024), the origin of the estimates is fundamentally different from those of the other GHGs, and therefore these emissions cannot be compared directly with the other emissions discussed in this indicator.

1. This indicator does not include aerosols and other emissions that affect radiative forcing and that are not well-mixed in the atmosphere, such as sulfate, ammonia, black carbon, and organic carbon. Emissions of these compounds are highly uncertain and have qualitatively different effects from the six types of emissions in this indicator.
2. This indicator does not include emissions of other compounds—such as carbon monoxide, nitrogen oxides, non-methane volatile organic compounds, and substances that deplete the stratospheric ozone layer—that indirectly affect the Earth’s radiative balance (for example, by altering GHG concentrations, changing the reflectivity of clouds, or changing the distribution of heat fluxes).

The U.S. GHG inventory estimates anthropogenic emissions and removals, so does not estimate “natural” emissions of GHGs from sources such as unmanaged wetlands, tundra soils, termites, and volcanoes. The “land use,” “land-use change,” and “forestry” categories in U.S. EPA (2024) do include emissions from changes in the forest inventory due to fires, harvesting, and other activities, as well as emissions from agricultural soils.

10. Sources of Uncertainty

Some estimates, such as those for CO₂ emissions from energy-related activities, are considered to have low uncertainties. For some other categories of emissions and sinks, however, inherent variability or a lack of data increases the uncertainty or systematic error associated with the estimates presented.

Recognizing the benefit of conducting an uncertainty analysis, the UNFCCC and Paris Agreement reporting guidelines follow the recommendations of IPCC (2006) and require that countries report uncertainty associated with estimates for each sources and sink category and the overall Inventory. The U.S. GHG *Inventory* (U.S. EPA, 2024) provides a quantitative assessment and qualitative discussion of uncertainty for all sources and sink categories, including specific factors affecting the uncertainty surrounding the estimates. Thorough discussion of these points can be found in U.S. EPA (2024), within each category’s methodological discussions, along with an overview in Chapter 1 Introduction and Annex 7 of the *Inventory*.

Overall, these sources of uncertainty are not expected to have a considerable impact on this indicator’s conclusions. This indicator provides a generally accurate picture of aggregate trends in GHG emissions

over time, and hence the overall conclusions inferred from the data are solid. The U.S. GHG inventory represents the most comprehensive and reliable data set available to characterize GHG emissions in the United States.

11. Sources of Variability

Within each sector (e.g., energy), sources of variability vary based on data sources and the activities/systems they reflect. When using facility-level reported data, GHG emissions can vary considerably across the individual point sources, and many factors contribute to this variability (e.g., different operating conditions, different production levels, fuel type, air pollution controls).

12. Statistical/Trend Analysis

This indicator presents a time series of national emissions estimates. No special statistical techniques or analyses were used to characterize the long-term trends or their statistical significance.

References

- IPCC (Intergovernmental Panel on Climate Change). (2006). *2006 IPCC guidelines for national greenhouse gas inventories* (S. Eggleston, L. Buendia, K. Miwa, T. Ngara, & K. Tanabe, Eds.). www.ipcc-nggip.iges.or.jp/public/2006gl/index.html
- IPCC (Intergovernmental Panel on Climate Change). (2013). *Climate change 2013—The physical science basis: Contribution of Working Group I to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change* (T. F. Stocker, D. Qin, G.-K. Plattner, M. Tignor, S. K. Allen, A. Boschung, A. Nauels, Y. Xia, V. Bex, & Midgley, Eds.). Cambridge University Press. www.ipcc.ch/report/ar5/wg1
- IPCC (Intergovernmental Panel on Climate Change). (2021). *Climate change 2021—The physical science basis: Working Group I contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change* (V. Masson-Delmotte, P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J. B. R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, R. Yu, & B. Zhou, Eds.). Cambridge University Press. <https://doi.org/10.1017/9781009157896>
- U.S. EPA (Environmental Protection Agency). (2024). *Inventory of U.S. greenhouse gas emissions and sinks: 1990–2022* (EPA 430-R-24-004). www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2022